

COREtec[®]

the Original

PROPLUS

COREtec[®] PRO SERIES

Where style meets strength.



From one true original to another, it's a family affair!



The real values in life are those created and found within families; authenticity, trust and the opportunity given to be creative and express yourself. These same values drive our company and they define our corporate culture. We saw an opportunity to create a better floor. We chased a dream and created a whole new category along the way. As the innovators of COREtec®, the Original, 100% waterproof floor, we did just that. Today, our consumers are enjoying our solutions of stylish, strong floors that sustain real family lives - full of entertaining, kids and pets.

*"Click, lock, enjoy.
It is as simple as that!"*

It all began as an entrepreneurial business in 2001, within our founder's heart and spare bedroom as our "headquarters". With the invention of COREtec®, the original, patented, 100% waterproof floor in 2013, we grew rapidly to become the leading brand of these unique and highly innovative products. We launched our European division in 2016 and that same year were acquired and embraced into the family of Shaw Floors, an industry leader and subsidiary of Berkshire Hathaway, led by the world-renowned investor, Warren Buffett.

We've come a long way from where we started to where we are now. But those family values guide us still. Led by management and embraced by every employee, dealer, and partner, we are recognized as the problem-solvers, innovators and design enthusiasts. Today we offer an incredible range of resilient, durable floors that can be purchased, installed and lived upon in one single day. Click, lock, enjoy. It is as simple as that!

The most difficult task will be choosing from our wide variety of life-like decors. But don't worry, you are sure to find one to match your style because we have a floor for every personality.

Welcome to our family, We promise to remain authentic to the core.

What's in your core?



Your COREtec® floor
always fits your style &
stands up to real life,
it's engineered for simplicity.



Always fits your style

We have a passion for providing a wide selection of authentic natural looks, so you can express what makes you, you. Persistent in product innovation - including micro-beveled edges, enhanced painted bevels and Embossed in Register technology - we create the most appealing designs and textures available.



Stands up to real life

Our floors are 100% waterproof, kid-proof and pet-proof. Try them in your kitchen or bathroom: they won't warp or buckle, even if submerged in water. Our 100% waterproof core, resilient vinyl and protective wear layer will keep your floor looking good for the life of your home. So naturally, all COREtec® floors come with a limited lifetime residential warranty.



Is engineered for simplicity

COREtec® is easy to install, to care for and to live with. Its secure angle tap system doesn't require any glue or nails and can be installed over existing floors without additional underlayment. Forget about sanding, polishing, sealing or refinishing: our floors are maintenance-free.

There's a million reasons to choose COREtec®, but here's our top 6.






Our floors:

- ✓ Will not expand or contract
- ✓ Reduce noise
- ✓ Have superior scratch & stain resistance
- ✓ Do not need to acclimate
- ✓ Are suitable for underfloor heating & cooling
- ✓ Install on any surface



Cork, the natural choice

All our floors have a unique attached cork underlayment. Why? It's warmer, quieter and easily installs over existing hard surfaces, perfectly concealing imperfections in subfloors. And: it's one of the most sustainable materials out there. Cork is harvested from the cork tree and can be re-harvested every decade without damaging the tree. A natural solution that brings only benefits to your home or business:

-  added sound insulation
-  a comfortable and warmer floor
-  a natural protection against mold & mildew
-  no need for separate underlayment
-  absorbs subfloor imperfections



PRO CORE

The original 100% waterproof floor, with extra dent & impact resistance.

0.55 mm
**HIGH
PERFORMANCE
WEARLAYERS**

IN STYLE
indistinguishable
from the real thing

COMFORT
warm & quiet
underfoot

ULTRA STABLE
outstanding
dimensional
stability

BALANCE
extra stability


SUSTAINABLE
attached cork
underlayment


18
WOOD PATTERNS
183 x 1520 mm

12
WOOD PATTERNS
183 x 1220 mm

4
STONE PATTERNS
610 x 472 mm


5 mm
**TOTAL
THICKNESS**


 100% waterproof


 Will not expand or contract

 Pet proof


 Reduces noise

 Easy to install

 Superior scratch resistance

 Installation on any surface

 No acclimatization necessary

 Ideal for underfloor heating & cooling

 Electrostatic performance



PROPLUS
COREtec[®] PRO SERIES

COREtec[®] Floors for high demands.

The unique COREtec[®] technology, for commercial project flooring.



COREtec[®] **PRO**
SERIES

“easy installation”



PARRISH
50 RLV 1215



OPERA
50 RLV 1211



HARPA
50 RLV 1212



PIANO
50 RLV 1213



PEROT
50 RLV 1214





METROPOL
50 RLV 1216



ABSOLUTE
50 RLV 1217



KINGDOM
50 RLV 1228



COSMOPOLITAN
50 RLV 1221



“inspiring decors”

DREW
50 RLV 1222

“new build or renovation”



MILLAU
50 RLV 1224



DOME
50 RLV 1225



ONTARIO
50 RLV 1226



PETRONAS
50 RLV 1223



WILLIS
50 RLV 1227





UNION
50 RLV 1229



ARIA
50 RLV 1230



"COREtec is 100% waterproof."

MIRAGE
50 RLV 1218



LUXOR
50 RLV 1219



BELLAGIO
50 RLV 1220



CANDLER
50 RLV 1209



CENTURY
50 RLV 1204



CHERKIN
50 RLV 1206





TORSO
50 RLV 1210



IMPERIAL
50 RLV 1207



PROMENADE
50 RLV 1208



"Silent & strong!"

STARDUST
50 RLV 1205

“authentic designs”




COMCAST
50 RLV 1201



ORIENTAL
50 RLV 1202



KRONOS
50 RLV 1203



ACCESSORIES

Paintable skirtings

Our paintable skirtings are 100% waterproof & shock resistant.




CASTLE
14 cm 1.8 cm 2 m
70PSK2000-1




HIGH
10 cm 1.3 cm 2.3 m
70PSK2300-3



COVER
10 cm 2 cm 2 m
70PSK2000-2
Max. 1.3 cm



MIDDLE
6.5 cm 1.3 cm 2.3 m
70PSK2300-2



LOW
4 cm 1 cm 2.3 m
70PSK2300-1

Matching design accessories

Our design accessories match the design of your floor & are also 100% waterproof & shock resistant.



DESIGN (2PC)
7 cm 1.6 cm 2.4 m
70SK3... X
(... = Matching design Ref.)



MODERN
5.8 cm 1.3 cm 2.4 m
70MD3... X
(... = Matching design Ref.)






INSTALLATION

Easy to install

COREtec® floors have the easiest install in the market. Follow the steps or watch our installation video on our website. Just scan the QR code or surf to www.coretecfloors.com



MAINTENANCE

The COREtec® Clean, quick & green kit:
 · Daily cleaner
 · Deep cleaner
 · Stain remover





5,00 mm
(EN ISO 24346)




0,55 mm
(EN ISO 24340)



PLANKS
183 x 1520 mm
183 x 1220 mm

TILES
472 x 610 mm



PLANKS 1520
12 pcs
3,34 m²
167 m²/pallet
27,40 kg

PLANKS 1220
12 pcs
2,68 m²
134 m²/pallet
22,60 kg

TILES
10 pcs
2,88 m²
138,24 m²/pallet
24,25 kg

LEVEL OF USE

Clasificación de uso / Classe d'uso
Classe de utilização
33-42 (EN ISO 10874)

INFLAMMABILITY

Resistencia al fuego
Classe di resistenza al fuoco
Classificação de Fogo
B_{fl}-S1 (EN 13501)

SCRATCH RESISTANCE

Resistencia a la abrasión
Resistenza ai graffi
Resistencia a riscos
Class T (EN 660-2)

SQUARENESS AND STRAIGHTNESS

Cuadratura y rectitud / Dilatazione
Retidão de parada
< 0.15 mm (EN 24342)

CURLING WHEN EXPOSED TO HEAT

Encorvamiento después de exposición al calor
Incurvamento massim
Incurvation depois de exposição o calor
< 0.02 mm (EN 23999)

DIMENSIONAL STABILITY

Estabilidad dimensional
Stabilità dimensionale
Estabilidade dimensional
< 0.02 mm (EN 23999)

ELECTROSTATIC PERFORMANCE

Rendimiento electroestático
Performance elettrostatica
Acumulação de cargas eletrostáticas
< 2 kV (EN 1815)

SLIP RESISTANCE

Coefficiente de fricción
Coefficiente dinamico di attrito
Anti-derrapagem
DS (EN 13893)

SLIP RESTRAINT

Restricción al resbalamiento
Coefficiente di scivolosità
Resistência o escorrimento
RIO (DIN 51130)

FORMALDEHYDE GROUP

Grupo formaldehído / Classe Formaldeide
Classificação do formaldeído
E1 (EN 717-1)

ACOUSTIC INSULATION

Aislamiento acústico / Isolamento acustico
Eficiência acústica
 $\Delta L_w = 17$ dB (ISO 717-2)

DRUM NOISE

Propagación acústica / Rumore da wcalpestio
Barulho refletiu o andar
Class SL50 (EPLF)

CASTOR CHAIR RESISTANCE

Resistencia a sillas con ruedas
Prova con sedia a ruote
Resistência as cadeiras de rodas
Pass (EN425)

LIGHT FASTNESS

Solidez del color a luz artificial
Resistenza alla luce
Resistência a luz
8 (ISO 105-B02)

HEAT INSULATION

Aislamiento térmico / Isolamento al calore
Isolamento térmico
0.027 (m² K/W) (EN 12667 ISO 8302)

UNDERFLOOR HEATING


Calefacción por suelo radiante
Riscaldamento a pavimento
Compatível com aquecimento do pavimento
Suitable / Adecuado / Adatto / Adequado

RESISTANCE TO CHEMICALS

Resistencia a los productos químicos
Resistenza ai prodotti chimici
Resistência em substâncias químicas
Very good / Muy bueno
Molto buono / Muito bom
(EN 423)

RESIDUAL INDENTATION CERTIFIED

Huella residual
Indentazione residua certificata
Perfuração remanescente certificada
0.09 mm (EN ISO 24343-1:2012)



COREtec®, the natural choice



Warranty (years) The warranty covers manufacturing defects and premature wear in the event of normal use.
Garantía (años) La garantía cubre los defectos de fabricación y el desgaste prematuro en caso de uso normal.
Garanzia (anni) La garanzia copre i difetti di produzione e usura prematura in caso di corretto e normale utilizzo.
Garantia (anos) A garantia cobre defeitos industriais e uso prematuro usado normal.



PRO PLUS

COREtec PRO SERIES

BY



A DIVISION OF

